



- 1. What are Things?
- 2. What's Smart and Why IoT Now?
- 3. IoT Research Challenges, including Datalink and Networking Issues
- 4. Recent Protocols for IoT
- 5. Fog Computing and Multi-Cloud Management

Note: This is part 1 of a series of class lectures on IoT. MQTT, 6LowPAN, and RPL are covered in other parts.

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Student Questions

What are Things?

- $\Box Thing = Not a computer$
- Phone, watches, thermostats, cars, Electric Meters, sensors, clothing, band-aids, TV,...
- □ Anything, Anywhere, Anytime, Anyway, Anyhow (5 A's)



Student Questions

About the definition of a thing, how to define if a device is a computer? Modern smartphones are essentially a computer. They have Von Neumann architecture and run on UNIX or Linux-based OS (highly modified), are they computers? Is a thermostat running Linux a computer?
 Things = Not a computer in 2008

Internet of Things

- Less than 1% of things around us were connected in 2013. The refrigerator, car, washing machine, heater, a/c, and garage door should all be connected, but maybe not.
- From 10 Billion in 2013 to 50 Billion in 2020.
 Includes processes, data, things, and people.
- \$14 Trillion over ten years
 ⇒ Third in the list of top 10 strategic technologies by Gartner (After Mobile devices and mobile Apps, but before Clouds, ...)
- a.k.a. Internet of Everything by Cisco
 Smarter Planet by IBM


 Ref: "Gartner Identifies Top 10 Strategic Technologies,"

 <u>http://www.cioinsight.com/it-news-trends/gartner-identifies-top-10-strategic-technologies.html</u>

 Ref: J. Bradley, "The Internet of Everything: Creating Better Experiences in Unimaginable Ways," Nov 21, 2013,

 <u>http://blogs.cisco.com/ioe/the-internet-of-everything-creating-better-experiences-in-unimaginable-ways/#more-131793</u>

 Washington University in St. Louis
 <u>http://www.cse.wustl.edu/~jain/cse570-23/</u>



What's Smart?

- □ Old: Smart = Can think \Rightarrow Computation = Can Recall \Rightarrow Storage
- Now: Smart = Can find quickly, Can Delegate
 ⇒ Communicate = Networking
- Smart Grid, Smart Meters, Smart Cars, Smart Homes, Smart Cities, Smart Factories, Smart Smoke Detectors, ...


Student Questions

□ Is the only device that can connect to the Internet a smart device? Why can it not be LAN?

Any networking is fine.



Washington University in St. Louis



Why IoT Now?

- □ IoT = Sensing + Communication + Computation
- 1. Micro-Sensors: Temperature, Moisture, Pressure, air quality,
- 2. Tags: Radio Frequency ID (RFID), Quick Response (QR) Codes, ...
- 3. Energy Efficient Communication: Small or no batteries, Personal area communication (PAN), Bluetooth, ZigBee, ...
- 4. Micro-Computing: Micro multi-core chips, Raspberry Pi, Intel Galileo, Arduino, ...
- 5. Cloud Computing: Little or no local computing
- 6. Open/Small operating systems: Linux

Ref: CTIA, "Mobile Cyber security and the Internet of Things," http://www.ctia.org/docs/default-source/default-document-library/ctia-iot-white-paper.pdf


Washington University in St. Louis

10.7

. . .

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain



http://www.cse.wustl.edu/~jain/cse570-23/


©2023 Raj Jain

Student Questions

10.8

\$3.2B in 2014.

Washington University in St. Louis



IoT Business Opportunity



- □ \$1.7 Trillion by 2020 IDC
- **5** \$7.1 Trillion Gartner
- □ \$10-15 Trillion just for Industrial Internet GE
- □ \$19 Trillion Internet of Everything Cisco

Ref: <u>http://www.forbes.com/sites/gilpress/2014/08/22/internet-of-things-by-the-numbers-market-estimates-and-forecasts/</u> http://www.forbes.com/sites/gilpress/2014/08/22/internet-of-things-by-the-numbers-market-estimates-and-forecasts/

Washington University in St. Louis

10.10

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

A 7-Layer Model of IoT

	Services		Energy, Entertainment, Health, Education, Transportation,			Student Questions
	Apps and SW][SDN, SOA, Collaboration, Apps, Clouds			
	Analytics		Machine learning, predictive analytics, Data mining,	lty		
ICT	Integration		Sensor data, Economic, Population, GIS,	Security	Management	
	Interconnection		DECT/ULE, WiFi, Bluetooth, ZigBee, NFC,		Mana	
	Acquisition		Sensors, Cameras, GPS, Meters, Smart phones,			
	Market		Smart Grid, Connected home, Smart Health, Smart Cities,			
Wa	ashington University in S	<u>t. L</u>	ouis <u>http://www.cse.wustl.edu/~jain/cse570-23/</u>	©202	3 Raj Jain	

Areas of Research for IoT

- 1. **PHY**: Smart devices, sensors giving real-time information, *Energy Harvesting*
- 2. **Datalink**: WiFi, Bluetooth, ZigBee, 802.11ah, ... Broadband: DSL, FTTH, Wi-Fi, 5G, ...
- 3. **Routing**: *Multiple interfaces*, Mesh networking, ...
- 4. Analytics: Big data, data mining, Machine learning, Predictive Analytics, ...
- 5. Apps & SW: SDN, SOA, Cloud computing, Web-based collaboration, Social networking, HCI, Event stream processing, ...
- 6. Applications: Remote health, Online education, online laboratories, ...
- 7. Security: Privacy, Trust, Identity, Anonymity, ...

Washington University in St. Louis

10.12

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Internet of Harmful Things

News

Worm may create an Internet of Harmful Things, says Symantec (Take note, Amazon)

Security firm Symantec says it has found a Linux worm aimed at Internet of Things devices

By Patrick Thibodeau

December 3, 2013 01:22 PM ET 🛛 🖵 Add a comment

🛅 Share 👍 💟 🛿 💀 🥶 🖪 Like < 7 📈 More

Computerworld - Security researchers are gradually raising warnings that the Internet of Things will increase, by multitudes, the number of things that can be hacked and attacked.

The Hitchcockian plotlines are endless. Replace <u>The Birds</u> with flying <u>Amazon</u> <u>delivery drones</u>. Or imagine, as researchers did recently at Black Hat, someone hacking your <u>connected toilet</u>, making it flush incessantly and closing the lid repeatedly and unexpectedly.



http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Student Questions

Washington University in St. Louis

10.13

As researchers did recently

connected toilet, making it

closing the lid repeatedly

at Black Hat, imagine

someone hacking your

flush incessantly, and

and unexpectedly.

Privacy Issue: Beacons

- □ Advertising based on proximity
- Peripherals (your phone) broadcast its presence if Bluetooth is turned on
- The primary aim of these broadcasts is to allow device discovery
- Advertising packets consist of a header and max 27B of payload with multiple TLV-encoded data items
 - > May include signal strength, \Rightarrow Distance
- □ iOS7 iPhones can send/receive iBeacons
- It can be used for customized advertising, indoor location, geofencing
- PayPal uses this to identify you.
 You can pay using a PIN and your phone.

Washington University in St. Louis

©2023 Raj Jain

Student Questions

Airdrop between Apple's devices, is this kind of IoT?

Yes. It's networking using Bluetooth.



Datalink Issues

- Energy efficiency
 - > \Rightarrow Need to decrease energy/bit by a factor of 1000
 - > Energy/bit has gone down by a factor of 2 per year
 - > Either wait ten years or design better protocols
- □ Small messages \Rightarrow Need low overhead
- □ Limited computing \Rightarrow Lightweight protocols \Rightarrow lightweight Encryption, authentication, security
- Quality of Information (QoI)

Student Questions

Power per MB

Туре	Bit rate	TX Power	mJoules/MB
802.11b	11Mb	50mW	36.4
802.11g	54Mb	50mW	7.4
802.11a	54Mb	200mW	29.6
802.15.1 Bluetooth	1Mb	1mW	8.0
802.15.3	55Mb	200uW	0.03

Once connected, Bluetooth classic maintains connections even when there is no data. Low power but not low enough.

Washington University in St. Louis

10.16

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Networking Issues

- □ Large number \Rightarrow 32-bit or 48-bit addressing not sufficient
- □ 32-bit IPv4 addresses are too small
- □ 48-bit IEEE 802 is too small
- 128-bit IPv6 addresses are too large. Tiny things do not have the energy to transmit such large addresses.
- □ 16-bit local addresses and 64-bit global addresses
- □ 6LowPAN, 6-to-NonIP

Student Questions

Can you elaborate on IoT devices' local and global addresses?

Local Addresses have to stay within the local network. They need to be recognized and are dropped outside the local network.

□ What kind of address is the local address? Is it assigned by the local network (e.g., a wireless router)?

The local network administrator assigns it. For example, a router on "Floor 3 closet 5."

What about global addresses? Is it similar to the MAC address?

Public IP addresses are Global. They are globally unique and can be forwarded by any global device. Private IP addresses are not global.

Last 100m Protocols

- The Last Mile: Mobile and Broadband Access revolution Smart Grid, Smart Cities, Smart Industries
- □ The last 100m: Smart home

10.18

□ The last meter: Smart Healthcare, Smart Wearables

Last 100 m Gateway	Last Mile	>
Washington University in St. Louis	http://www.cse.wustl.edu/~jain/cse570-23/	©2023 Raj Jain

Legacy IoT Protocols

- **BACnet**: Building Automation and Control Network
- □ LonWorks: Local Operating Network (like BACnet)
- □ **ModBus**: Modicon (Schneider Electric)'s Serial Bus (<u>www.modbus.org</u>)
- **KNX**: Home and Building Automation Standard
- **Z-Wave**: Wireless Communication for Home Automation
- □ **M-Bus**: Bus for remote reading of gas and electric meters
- □ ANSI CI12.20: Electric Meter Accuracy and Performance
- **DLMS**: Device Language Message Specification
- **COSEM**: Company Specification for Energy Metering
- **DALI**: Digital Addressable Lighting Interface
- **EIB**: European Installation Bus

10.19

 WirelessHART: Wireless Highway Addressable Remote Transducer Protocol (<u>www.hartcomm.org</u>)

 Ref: IEC 61158: Fieldbus for use in industrial control systems, Part 1 to 6, 2008

 Washington University in St. Louis

©2023 Raj Jain

IoT Ecosystem

Applications	Smart Health, Smart Home, Smart Grid Smart Transport, Smart Workspaces,	Security	Management
Session	MQTT, CoRE, DDS, AMQP,	TCG, Oath 2.0,	IEEE 1905,
Network	Encapsulation 6LowPAN , 6TiSCH, Routing RPL , CORPL, CARP	SMACK, SASL,	IEEE 1451,
Datalink	WiFi, Bluetooth Smart, ZigBee Smart, Z-Wave, DECT/ULE, 3G/LTE, NFC, Weightless, HomePlug GP , 802.11ah, 802.15.4 , G.9959, WirelessHART, DASH7, ANT+ , LoRaWAN,	ISASecure, ace, CoAP, DTLS, Dice	
Software	Mbed, Homekit, AllSeen, IoTvity, ThingWorks, EVRYTHNG,		
Operating Systems	Linux, Android, Contiki-OS, TinyOS,		
Hardware	ARM, Arduino , Raspberry Pi, ARC-EM4, Mote, Smart Dust, Tmote Sky,		

Student Questions Why did you categorize MQQT and DDS as

Why did you categorize MQQT and DDS as session protocols, and why do you not have a transport layer? Mainly because DDS messages can be transported over UDP, and as far as I know, it has no "session" concept.
 In the ISO OSI model, a session was defined as something to that particular invocation of an application. The transport layer was defined as the protocol between two endpoints. Session and Application also run end-to-end. So, there needs to be more clarity between Session and Transport. MQTT is a session protocol that requires transport.

- This slide is an excellent summary of IoT. What layer do you think researchers should focus on? And in what direction? *Depends on* your interest. All layers need new ideas.
- What is the role of the session? *See above*.

 Ref: Tara Salman, Raj Jain, "A Survey of Protocols and Standards for Internet of Things," Advanced Computing and Communications,

 Vol. 1, No. 1, March 2017, http://www.cse.wustl.edu/~jain/papers/iot_accs.htm

 Washington University in St. Louis
 http://www.cse.wustl.edu/~jain/cse570-23/

Standardization

- □ Almost every standards body is working on IoT:
 - ▹ IEEE: 802.11, 802.15.4, HomePlug
 - > ZigBee Alliance: ZigBee Smart
 - > Bluetooth SIG: Bluetooth Smart
 - > IETF: RPL, 6LowPAN
 - > ITU: oneM2M (see below)
 - > ETSI: DECT/ULE
 - ≻ IPSO, ...
- □ Seven organizations joined together to avoid duplication: ARIB, ATIS, CCSA, ETSI, TIA, TTA, TTC \Rightarrow oneM2M

Student Questions

Ref: <u>http://www.onem2m.org</u>

Washington University in St. Louis


http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain



Past: Data in the Edge

To serve world-wide users, latency was critical and so the data was replicated and brought to edge



Student Questions


□ Is the push button the same as the Duo mobile application?

"Push" is not a button. It is how the information comes to you. You can pull the info from the net, or the net can push it to you. Duo is simply a two-factor authentication

verifying that you have the phone with you.
Which way is more secure for the users?
Push and pull are both equally insecure.
Two-factor authentication makes both more secure.

Trend: Computation in the Edge

□ To service mobile users/IoT, the computation needs to come to the edge \Rightarrow Micro-cloud on the tower \Rightarrow Mobile-Edge Computing



10.23

Student Questions


Does computation in the edge mean that people are able to keep their private data in their local terminals, or do those internet firms still need to store our data in their data centers where machine learning models are trained?

Internet firms keep your data in their clouds so they can make money from storage and also sell your information to advertisers.


Could you please give us some examples of Computation in the Edge in our daily life? *Most of the computation in smart devices today* is an example of "Computation in the Edge," motion detection.

Trend: Multi-Cloud

❑ Larger and infrequent jobs serviced by local and regional clouds
 ⇒ Fog Computing



Fog Computing



Student Questions		
□ If yo	Would fog computing be a subset of cloud computing? <i>ou include edge clouds as clouds, then yes.</i>	

 Ref: http://community.spiceworks.com/topic/254392-fog-computing-replaces-cloud-as-new-tech-buzzwe

 Washington University in St. Louis
 http://www.cse.wustl.edu/~jain/cse570-23/

 10.25

©2023 Raj Jain

Fog Computing (Cont)

- ❑ Location Aware and Location Sensitive
 ⇒ Low latency ⇒ Computing in microclouds
 ⇒ Computing in the edge ⇒ Computing everywhere
 ⇒ Fog
- □ Geographically distributed => Everywhere/Anywhere
- □ Large Scale
- Mobility
- **Real-Time**

Ref: F. Bonomi, et al., "Fog Computing and Its Role in the Internet of Things," ACM MCC'12, August 17, 2012, Helsinki, Finland
Washington University in St. Louishttp://www.cse.wustl.edu/~jain/cse570-23/©2023 Raj Jain


Student Questions

□ Fog computing is a kind of cloud computing that is smaller, closer to us, and more responsive. Is this understanding correct?

Fog is closer to us. It is closer to what we now call "edge clouds."



Mobile Healthcare Use Case Medical Application Service Provider Home sensors for patient monitoring **Multi-Cloud Mobile Application Deployment and Optimization Platform SDN** Hospital Insurance Co **_** III Controller Cloud Cloud Body Area Mobile 5G Carrier Network for Doctor OClinical mobile patient http://www.cse.wustl.edu/~jain/cse570-23/ ©2023 Raj Jain Washington University in St. Louis



Student Questions



- 1. Less than 1% of things are connected \Rightarrow IoT is a big opportunity for academics and industry
- 2. Smart Grid and Energy management lead the change.
- 3. Smartness comes from communication capability since the computation can be delegated.
- 4. Right at the knee: Academic and Startup Research opportunities in almost all subfields of computing, including hardware development, data analytics, security, and networking.
- 5. Cloud computing everywhere leads to fog computing and multi-cloud computing \Rightarrow our MCAD project

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Student Questions

You said in the slide that IoT is a big opportunity, and then what do you think of the future for network equipment vendors like Cisco?

Cisco is selling routers and switches for the

cloud. So, the future is bright.

Reading List

Tara Salman, Raj Jain, "A Survey of Protocols and Standards for Internet of Things," Advanced Computing and Communications, Vol. 1, No. 1, March 2017, <u>http://www.cse.wustl.edu/~jain/papers/iot_accs.htm</u>



References

- Honbo Zhou, "The Internet of Things in the Cloud: A Middleware Perspective," CRC Press, October 2012, 391 pp., ISBN:978-1-4398-9299-2 (Safari Book).
- Olivier Hersent; David Boswarthick; Omar Elloumi, "The Internet of Things: Key Applications and Protocols," John Wiley & Sons, February 1, 2012, 370 pp., ISBN:978-1-119-99435-0 (Safari Book).
- Francis daCosta, "Rethinking the Internet of Things: A Scalable Approach to Connecting Everything," Apress, January 2014, 192 pp., ISBN:1-4302-5740-7 (Safari Book).
- Hakima Chaouchi, "The Internet of Things: Connecting Objects," John Wiley & Sons, June 2010, 288 pp., ISBN:978-1-848-21140-7 (Safari Book).
- Nitesh Dhanjani, "Abusing the Internet of Things," O'Reilly Media, Inc., August 2015, 250 pp., ISBN:978-1-4919-0233-2 (Safari Book).

Washington University in St. Louis

10.31

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Wikipedia Links

- □ <u>https://en.wikipedia.org/wiki/Fog_computing</u>
- https://en.wikipedia.org/wiki/Industrial_Internet
- https://en.wikipedia.org/wiki/Internet_of_Things
- □ <u>https://en.wikipedia.org/wiki/IPSO_Alliance</u>
- https://en.wikipedia.org/wiki/Machine_to_machine
- https://en.wikipedia.org/wiki/Multicloud
- □ <u>https://en.wikipedia.org/wiki/Nearables</u>
- https://en.wikipedia.org/wiki/Smart_device
- https://en.wikipedia.org/wiki/SmartThings
- □ <u>https://en.wikipedia.org/wiki/Ubiquitous_computing</u>
- https://en.wikipedia.org/wiki/Wearable_technology
- □ <u>https://en.wikipedia.org/wiki/Web_of_Things</u>

Student Questions

Washington University in St. Louis



Acronyms

- □ 6LowPAN IPv6 over Low Powered Personal Area Network
- □ ACM Automatic Computing Machinery Association
- AMQP Advanced Message Queueing Protocol
- ANSI American National Standards Institute
- □ ANT A proprietary open access multicast wireless sensor network
- □ ANT+ Interoperability function added to ANT
- □ API Application Programming Interface
- □ ARIB Association of Radio Industries and Businesses (Japan)
- BACnet Building Automation and Control Network
- □ CI12.20 ANSI Standard for Electric Meter Accuracy and Performance
- CoAP Constrained Application Protocol
- **COSEM** Company Specification for Energy Metering
- Cyber Physical Systems
- CPU Central Processing Unit
- **CTIA** Cellular Telecommunication Industries Association
- DARPADefense Advance Research Project Agency
- DASH7ISO 18000-7 RFID standard for sensor networks

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

Student Questions

Washington University in St. Louis

- DECT Digital Enhanced Cordless Communication
- DLMS Device Language Message Specification
- □ DoE Department of Energy
- □ EC2 Elastic Compute Cloud 2 (by Amazon)
- ETSI European Telecommunications Standards Institute
- **EU** European Union
- □ FP7 Framework Program 7
- GP GreenPHY
- GreenPHY Green Physical Layer
- HomePlug-GP HomePlug Green PHY
- □ IEEE Institute for Electrical and Electronic Engineers
- □ IERC IoT-European Research Cluster
- □ IETF Internet Engineering Task Force
- □ iOS iPhone Operating System
- □ IoT Internet of Things
- □ IP Internet Protocol

- □ IPSO IP for Smart Objects
- □ IPv4 Internet Protocol version 4
- □ IPv6 Internet Protocol version 6
- □ ISP Internet Service Provider
- ITU International Telecommunications Union
- **G** KNX Building automation protocol
- □ MB Mega-byte
- MCAD Multi-Cloud Application Deployment Platform
- MQTT Message Queue Telemetry Transport
- NASA National Aeronautical and Space Administration
- □ NEST Name of a product
- □ NFC Near field communication
- NIH National Institute of Health
- □ NITRD Networking and Info Tech Research and Development
- NonIP Non-Internet Protocol
- □ NSF National Science Foundation

Washington University in St. Louis

10.35

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

- OAuth Open Authorization protocol from IETF
- oneM2M One Machine to Machine
- ONR Office of Naval Research
- PAN Personal area network
- PIN Personal Identification Number
- PLC Power Line Communication
- PoP Point of Presence
- QoI Quality of information
- **QR** Quick Response
- **RFID** Radio Frequency Identifier
- **RPL** Routing Protocol for Low Power and Lossy Networks

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain

- **SDN** Software Defined Networking
- □ SIG Special Interest Group
- **G** SOA Service Oriented Architecture
- **TLV** Type-Length-Value
- **TV** Television
- UK United Kingdom

Washington University in St. Louis

10.36

- □ ULE Ultra Low Energy
- US United States
- □ VC Venture Capital
- □ WAN Wide Area Network
- WiFi Wireless Fidelity
- Image: XMLeXtensible Markup Language
 - Ziga-Byte

Student Questions

Washington University in St. Louis



ZB



Related Modules



CSE567M: Computer Systems Analysis (Spring 2013),

https://www.youtube.com/playlist?list=PLjGG94etKypJEKjNAa1n_1X0bWWNyZcof

CSE473S: Introduction to Computer Networks (Fall 2011),

https://www.youtube.com/playlist?list=PLjGG94etKypJWOSPMh8Azcgy5e_10TiDw





Wireless and Mobile Networking (Spring 2016),

https://www.youtube.com/playlist?list=PLjGG94etKypKeb0nzyN9tSs_HCd5c4wXF

CSE571S: Network Security (Fall 2011),

https://www.youtube.com/playlist?list=PLjGG94etKypKvzfVtutHcPFJXumyyg93u





10.39

Video Podcasts of Prof. Raj Jain's Lectures,

https://www.youtube.com/channel/UCN4-5wzNP9-ruOzQMs-8NUw

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/cse570-23/

©2023 Raj Jain