
SDN and NFV: Facts, Extensions, and Carrier Opportunities



Project Leader: Subharthi Paul Washington University in Saint Louis Saint Louis, MO 63130, Jain@cse.wustl.edu AT&T SDN Forum Seminar, April 10, 2014 These slides and audio/video recordings of this talk are at: http://www.cse.wustl.edu/~jain/talks/adn_att.htm



- 1. SDN 1.0 and SDN 2.0
- 2. Network Function Virtualization and Service Chaining
- 3. Function Virtualization and Service Chaining
- 4. Cloud of Clouds

Planes of Networking


- Data Plane: All activities involving as well as resulting from data packets sent by the end user, e.g.,
 - Forwarding
 - > Fragmentation and reassembly
 - Replication for multicasting
- □ **Control Plane**: All activities that are <u>necessary</u> to perform data plane activities but do not involve end-user data packets
 - Making routing tables
 - Setting packet handling policies (e.g., security)

| Dest. | Output Port | Next Hop |
|-------|-------------|----------|
| | | |
| | | |
| | | |

Ref: Open Data Center Alliance Usage Model: Software Defined Networking Rev 1.0," http://www.opendatacenteralliance.org/docs/Software_Defined_Networking_Master_Usage_Model_Rev1.0.pdf

Washington University in St. Louis


http://www.cse.wustl.edu/~jain/talks/adn_att.htm




- Switches only have forwarding elements
- One expensive controller with a lot of cheap switches
- OpenFlow is the protocol to send/receive forwarding rules from controller to switches
- By programming the controller, we can quickly change the entire network behavior \Rightarrow Software Defined Networking

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/adn_att.htm_





ONF Definition of SDN

"What is SDN?

The physical separation of the network control plane from the forwarding plane, and where a control plane controls several devices."

- 1. Directly programmable
- 2. Agile: Abstracting control from forwarding
- 3. Centrally managed
- 4. Programmatically configured
- 5. Open standards-based vendor neutral

The above definition includes *How*. Now many different opinions about *How*. ⇒SDN has become more general. Need to define by *What*?



 Ref: https://www.opennetworking.org/index.php?option=com_content&view=article&id=686&Itemid=272&lang=en


 Washington University in St. Louis
 http://www.cse.wustl.edu/~jain/talks/adn_att.htm

 ©2014 Raj Jain

What do We need SDN for?

- **1. Virtualization**: Use network resource without worrying about where it is physically located, how much it is, how it is organized, etc.
- **2. Orchestration**: Manage thousands of devices
- **3. Programmable**: Should be able to change behavior on the fly.
- 4. Dynamic Scaling: Should be able to change size, quantity
- **5. Automation**: Lower OpEx
- 6. Visibility: Monitor resources, connectivity
- 7. Performance: Optimize network device utilization
- 8. Multi-tenancy: Sharing expensive infrastructure
- **9. Service Integration**
- **10. Openness:** Full choice of Modular plug-ins
- 11. Unified management of computing, networking, and storage

SDN 2.0: OpenDaylight Style SDN



NO-OpenFlow (Not Only OpenFlow) Multi-Protocol
 New work in IETF XMPP, ALTO, I2RS, PCEP,
 Linux Foundation

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/adn_att.htm_

Networking and Religion



Both are based on a set of beliefs

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/adn att.htm

Current SDN Debate: What vs. How?

- SDN is easy if control plane is centralized but not necessary.
 Distributed solutions may be required for legacy equipment and for fail-safe operation.
- Complete removal of control plane may be harmful.
 Exact division of control plane between centralized controller and distributed forwarders is yet to be worked out
- SDN is easy with a standard southbound protocol like OpenFlow but one protocol may not work/scale in all cases
 - > Diversity of protocols is a fact of life.
 - There are no standard operating systems, processors, routers, or Ethernet switches.
- If industry finds an easier way to solve the same problems by another method, that method may win. E.g., ATM vs. MPLS.
 Washington University in St. Louis
 http://www.cse.wustl.edu/~iain/talks/adm_att.htm
 ©2014 Rai J

Separation vs. Centralization

Separation of Control Plane

Centralization of Control



Washington University in St. Louis


http://www.cse.wustl.edu/~jain/talks/adn att.htm

Network Function Virtualization (NFV)

 Fast standard hardware ⇒ Software based Devices Routers, Firewalls, Broadband Remote Access Server (BRAS) ⇒ A.k.a. *white box* implementation

2. Virtual Machine implementation

 \Rightarrow Virtual appliances \Rightarrow All advantages of virtualization (quick provisioning, scalability, mobility, Reduced CapEx, Reduced OpEx, ...)



What can NFV do?

- **1. Virtualization**: Use network resource without worrying about where it is physically located, how much it is, how it is organized, etc.
- 2. Orchestration: Manage thousands of devices
- **3. Programmable**: Should be able to change behavior on the fly.
- 4. Dynamic Scaling: Should be able to change size, quantity
- **5.** Automation
- 6. Visibility: Monitor resources, connectivity
- 7. Performance: Optimize network device utilization
- 8. Multi-tenancy
- 9. Service Integration
- 10. Openness: Full choice of Modular plug-ins

Note: These are exactly the **same** reasons why we need SDN.

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/adn_att.htm_

Service-Infrastructure Separation

- □ With cloud computing, anyone can super-compute on demand.
 - Physical infrastructure is owned by Cloud Service Provider (CSP). Tenants get virtual infrastructure
 - > Win-Win combination
- With virtualization, an ISP can set up all virtual resources on demand
 - > Physical Infrastructure owned by NFV infrastructure service provider (NSP) and tenant ISPs get virtual NFVI services
 - > Win-Win combination



Washington University in St. Louis


http://www.cse.wustl.edu/~jain/talks/adn att.htm

©2014 Raj Jain

15


Service Chaining in a Multi-Cloud Multi-Tenant Environment

- □ VNFs (Virtual network fns) belong to tenants. Multiple tenants.
- □ Each Cloud belongs to a different Cloud Service Provider (CSP)
- □ Internet infrastructure belongs to an NFVI service provider (NSP)
- □ Service chain = Workflow




Any Function Virtualization (FV)

- Network function virtualization of interest to Network service providers
- But the same concept can be used by any other industry, e.g., financial industry, banks, stock brokers, retailers, mobile games, ...
- Everyone can benefit from:
 - Functional decomposition of there industry
 - Virtualization of those functions
 - ≻ Service chaining those virtual functions (VFs)
 ⇒ A service provided by the next gen ISPs




- □ Need to add/delete workflows as the load/locality changes
- □ Application **Developers** designing a workflow need not be aware of middleboxes, physical resources.
- Application Architects set guidelines for creation of new workflows including middleboxes
- Deployment Administrators set policies for quantity and location of resources inside various clouds.
- Also need to virtualize wide area networks just as it is done inside the clouds today
 Washington University in St. Louis
 http://www.cse.wustl.edu/~jain/talks/adn_att.htm
 ©2014 Raj Jain

Workflow Example



19

Services in a Cloud of Clouds




AppFabric Features

- Allows application architects to specify guidelines for creation of new workflows including middleboxes
- Allows application developers to specify their resource requirements and design their application without worrying about physical infrastructure
- Allows Deployment Administrators specify policies for quantity and location of resources inside various clouds.
- Automates the entire process of creating new workflows and installing them, managing them during runtime, uninstalling them as necessary
- Workflow creation includes virtual networks, computers, storage inside the clouds as well as the network between the clouds
- □ All interfaces currently are XML based. Plan to implement GUI based consoles.

Hierarchy of Controllers

Controllers exchange and implement policies



Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/adn att.htm_

Resource Control

- Tenants keep complete control of their data.
 NSP does not have to look at the application data to enforce application level policies
- NSPs keep complete control of their equipment.
 tenants communicate their policies to NSP's control plane
- VFs and Middle boxes can be located anywhere on the global Internet (Of course, performance is best when they are close by)
- Tenants or NSPs can own OpenADN modules. NSPs can offer "Service Chaining" service

Challenges in Service Chaining

Dynamic:

> Forwarding changes with state of the servers, links, ...

Content sensitive:


> Different for different types of videos, read-writes, ...

Distributed Control:

- > Equipment belongs to infrastructure provider
- > Data belongs to Tenants

□ Massive Scale:

- > Billions of Users with different user context
- □ Stateful Services:
 - All packets of a flow should be sent to the same replica
 Message level services (firewalls),
 - Description Packet level services (intrusion detection)



Use Case 2: Smart WANs

Service Chaining


Washington University in St. Louis

- Message-level Middleboxes
- Packet-level Middleboxes
- Dynamically place services at POPs based on application topology

Access

Networks


- Provide differentiated transport
- Contextual mapping of messages to transport QoS



©2014 Rai Jain

26

http://www.cse.wustl.edu/~jain/talks/adn att.htm





Summary

- 1. **Technology Thrashing**: Technology changing faster than deployment.
- 2. Virtual Networking Functions (VNFs) will be replicated and deployed globally

 \Rightarrow Need dynamic service chaining based on user, network, and application context

- 3. Virtual functions useful not only for networking but also for all other global enterprises and games → New business opportunity for EV Infrastructure service
 - \Rightarrow New business opportunity for FV Infrastructure service
- 4. **AppFabric** allows customers to select **multiple clouds** from different providers and **share wide area network** infrastructure and specify their policies
- 5. NSPs keep complete **control** over their resources. Tenants keep complete control over their traffic.
- 6. Can be implemented incrementally **now**.

References

 Raj Jain and Subharthi Paul, "Network Virtualization and Software Defined Networking for Cloud Computing - A Survey," IEEE Communications Magazine, Nov 2013, pp. 24-31, <u>http://www.cse.wustl.edu/~jain/papers/net_virt.htm</u>