Application Delivery Using SDN






Project Leader: Subharthi Paul Washington University in Saint Louis Saint Louis, MO 63130 Jain@cse.wustl.edu

These slides and audio/video recordings are available at: <u>http://www.cse.wustl.edu/~jain/talks/sdn_gc12.htm</u>

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/sdn_gc12.htm




Trend: Explosion of Mobile Apps and Clouds




- □ All top 50 Internet sites are services [Alexa]
- Almost all services are now mobile apps: Google, Facebook, Bank of America, ...
- □ Almost all services need to be global (World is flat)
- □ Almost all services use cloud computing (Easy management)

Networks need to support efficient service setup and delivery


Ref: Top 500 sites on the web, http://www.alexa.com/topsites Washington University in St. Louis <u>http://www.cse.wustl.edu/~jain/talks/sdn_gc12.htm</u> ©2





Our Solution: OpenADN

- Open Application Delivery Networking Platform Platform = OpenADN aware clients, servers, switches, and middle-boxes
- □ Allows Application Service Providers (ASPs) to quickly setup services on Internet using cloud computing⇒ Global datacenter




Resource Control

- ASPs keep complete control of their data.
 ISP does not have to look at the application headers or data to enforce application level policies
- ISPs keep complete control of their equipment.
 ASPs communicate their policies to ISP's control plane
- Middle boxes can be located anywhere on the global Internet (Of course, performance is best when they are close by)
- □ ISPs own OpenADN switches and offer them as a service
- □ ASPs or ISPs can own OpenADN middle boxes
- □ No changes to the core Internet

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/sdn_gc12.htm



- Secure L5-L7 headers and data
- Middlebox services: Intrusion detection, Content based routers, application firewalls, ...

□ Control plane and data plane MBs

- Middlebox traversal sequence
- Message level policies
- **TCP** Splicing

http://www.cse.wustl.edu/~jain/talks/sdn gc12.htm

Key Features of OpenADN

- 1. Edge devices only.
 - Core network can be current TCP/IP based, OpenFlow or future SDN based
- 2. Coexistence (Backward compatibility): Old on New. New on Old
- 3. Incremental Deployment
- 4. Economic Incentive for first adopters
- 5. Resource owners (ISPs) keep complete control over their resources



Most versions of Ethernet followed these principles. Many versions of IP did not.

Washington University in St. Louis

tp://www.cse.wustl.edu/~jain/talks/sdn_gc12.htm



Summary

- 1. Knee of **mobile internet** paradigm shift Explosion of Apps using cloud services
- 2. OpenADN appliances can provide ASPs networking services they need
- 3. OpenADN extends using best of OpenFlow, SDN, MPLS, ID/Locator Split, Cross-layer communications, middle box appliances
- 4. Keeps resource control under resource owners. Can be implemented incrementally now
- 5. Trend is towards simplifying and standardizing router interfaces \Rightarrow Software defined networking

Application Delivery: Opportunity for ISP's

Washington University in St. Louis

http://www.cse.wustl.edu/~jain/talks/sdn_gc12.htm